



2015

DRIVE YOUR COUNTY TO THE TOP TEN:

Accelerating Action Towards Improving County Health


Washington County



Demographics

Population:	125,546	<18 YOA:	19.79%	65+ YOA:	16.40%	% Rural:	26.42%
Unemployment:	7.26%	% Females:	51.11%	% Males:	48.89%	Graduation Rate:	93.17
Single parent households:	31.17%	MHI:	\$41,542				


Adult Smoking



Top Third

Measure	Value
Primary Care Physicians	596:1
Drinking Water Violations	0.00%
Mental Health Providers	345:1
Teen Births	33.13
Long Commute - Driving Alone	21.70%
Some College	65.96%
Air Pollution - Particulate Matter	13.07
Excessive Drinking	6.70%
Diabetic Monitoring	88.73%
Injury Deaths	70.50


Adult Obesity



Middle Third

Measure	Value
Poor Physical Health Days	4.50
Adult Smoking	24.10%
Low Birthweight	8.45%
Uninsured	16.52%
Preventable Hospital Stays	82.13
Poor Mental Health Days	3.80
Food Environment Index	7.30
Children in Single-Parent Households	31.17%
Alcohol-Impaired Driving Deaths	31.48%
Violent Crime	414.82

Physical Inactivity



Bottom Third

Measure	Value
Income Inequality	5.11
Driving Alone to Work	86.69%
Severe Housing Problems	15.35%

YOA: Years of Age. MHI: Median Household Income. HP 2020: Healthy People 2020 Goal. Adult Smoking: Percentage of adults who are current smokers. Source: Behavioral Risk Factor Surveillance System; 2006-2012. Adult Obesity: Percentage of adults that report a BMI of 30 or more. Source: CDC Diabetes Interactive Atlas; 2011. Physical Inactivity: Percentage of adults aged 20 and over reporting no leisure-time physical activity. Source: CDC Diabetes Interactive Atlas; 2011. Prepared by the Division of Policy, Planning and Assessment, Office of Performance Management, Tennessee Department of Health. Nashville, TN. opm.health@tn.gov or 615-741-5001.



Health Outcomes	Length of Life	Health Outcomes								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
Health Outcomes	Premature Death Years of potential life lost before age 75 per 100,000 population (age-adjusted)	21	Lewis	8402.77	7769.75	633.02	↑Bad ↓Good	6,811.00	Penobscot, ME	6821.47
		For every 100 people in the county, 1 people in the county need to live one year closer to age 75.							Marion, WV	7448.83
		Source	National Center for Health Statistics - Mortality files		Year(s)	2010-2012		Genesee, NY	6561.49	
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	Poor or Fair Health Percentage of adults reporting fair or poor health (age-adjusted)	20	Putnam	18.50%	16.60%	1.90%	↑Bad ↓Good	12.40%	Penobscot, ME	14.40%
		Improve the health of 2 out of every 100 people in the county who, in general, report being in poor or fair health.							Marion, WV	17.60%
		Source	Behavioral Risk Factor Surveillance System		Year(s)	2006-2012		Genesee, NY	12.00%	
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	Poor Physical Health Days* Average number of physically unhealthy days reported in past 30 days (age-adjusted)	33	Chester	4.50	3.40	1.10	↑Bad ↓Good	3.70	Penobscot, ME	4.00
		Engage people in the county on ways to reduce number of poor physical health days reported by residents by 2 days per month.							Marion, WV	4.60
		Source	Behavioral Risk Factor Surveillance System		Year(s)	2006-2012		Genesee, NY	4.00	
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
Poor Mental Health Days Average number of mentally unhealthy days reported in past 30 days (age-adjusted)	42	Henderson	3.80	2.80	1.00	↑Bad ↓Good	3.50	Penobscot, ME	3.80	
	Engage people in the county on ways to reduce number of poor physical health days reported by residents by 1 days per month.							Marion, WV	3.40	
	Source	Behavioral Risk Factor Surveillance System		Year(s)	2006-2012		Genesee, NY	4.20		
	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value	
Low Birthweight Percentage of live births with low birthweight (< 2500 grams)	34	Lewis	8.45%	7.29%	1.16%	↑Bad ↓Good	8.10%	Penobscot, ME	6.68%	
	Reduce the number of low birth weight babies by 2 for every 100 live births.							Marion, WV	9.01%	
	Source	National Center for Health Statistics - Natality files		Year(s)	2006-2012		Genesee, NY	6.07%		
	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value	
Health Factors	Adult Smoking Percentage of adults who are current smokers	33	Knox	24.10%	18.50%	5.60%	↑Bad ↓Good	18.10%	Penobscot, ME	20.20%
		Get 24 out of every 100 current adult smokers in the county to quit smoking.							Marion, WV	21.10%
		Source	Behavioral Risk Factor Surveillance System		Year(s)	2006-2012		Genesee, NY	18.40%	
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	Adult Obesity Percentage of adults that report a BMI of 30 or more	28	Hamilton	30.90%	29.10%	1.80%	↑Bad ↓Good	28.00%	Penobscot, ME	31.70%
		Get 6 out of every 100 current obese adults in the county to reduce their BMI below 30.							Marion, WV	32.60%
		Source	CDC Diabetes Interactive Atlas		Year(s)	2011		Genesee, NY	29.20%	
		Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	Food Environment Index Index of factors that contribute to a healthy food environment, 0 (worst) to 10 (best)	42	Williamson	7.30	8.9	1.6	↑Good ↓Bad	7.60	Penobscot, ME	6.90
		Increase the county's food index score by 1.6.							Marion, WV	7.60
		Source	USDA Food Environment Atlas, Map the Meal Gap		Year(s)	2012		Genesee, NY	8.70	
		Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value

Prepared by the Division of Policy, Planning and Assessment, Office of Performance Management, Tennessee Department of Health, Nashville, TN. April 2015. opm.health@tn.gov or 615-741-5001. The full report can be accessed at: <http://health.tn.gov/statistics/specialprojects.htm>. All data is from the University of Wisconsin Population Health Institute and Robert Wood Johnson Foundation's, 2015 *County Health Rankings and Roadmaps* report. Difference statements represent the absolute value using the following formula: ["Value" - "10th Ranked Value"]. The action statements are based on the assumption that no new additional cases occur. All rankings and action statements presented in this report must be interpreted with caution due to various limitations of each measurement. Further information with regards to the strengths and limitations of each measurement may be found by clicking the hyperlink found in the description of each measurement.

Health Factors

Health Behaviors

Physical Inactivity	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	14	Wilson	29.90%	28.50%	1.40%	↑Bad ↓Good	30.00%	Penobscot, ME	24.30%
Percentage of adults aged 20 and over reporting no leisure-time physical activity	Get 5 out of every 100 currently physically inactive adults to exercise during leisure time.							Marion, WV	31.40%
Source	CDC Diabetes Interactive Atlas			Year(s)	2011		Genesee, NY	23.90%	
Access to Exercise Opportunities	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	20	Loudon	71.84%	78.50%	6.66%	↑Good ↓Bad	77.00%	Penobscot, ME	60.21%
Percentage of population with adequate access to locations for physical activity	Consider how to remove barriers to access exercise locations to reach an additional 6.66 percent of the county's population.							Marion, WV	62.64%
Source	Business Analyst, Delorme, ESRI, & US Census Tigerline Files			Year(s)	2010 & 2013		Genesee, NY	67.17%	
Excessive Drinking	Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	7	McMinn	6.70%	5.30%	1.40%	↑Bad ↓Good	15.00%	Penobscot, ME	15.00%
Percentage of adults reporting binge or heavy drinking	Get 21 out of every 100 adults in the county that currently drink to excess (binge and heavy drinkers) to stop drinking more than one (women) or two (men) drinks per day on average.							Marion, WV	9.20%
Source	Behavioral Risk Factor Surveillance System			Year(s)	2006-2012		Genesee, NY	18.30%	
Alcohol-Impaired Driving Deaths	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	60	McNairy	31.48%	18.75%	12.73%	↑Bad ↓Good	32.00%	Penobscot, ME	36.71%
Percentage of driving deaths with alcohol involvement	Reduce the number of alcohol related driving deaths by 12.73 percent.							Marion, WV	44.00%
Source	Fatality Analysis Reporting System			Year(s)	2009-2013		Genesee, NY	28.57%	
Sexually Transmitted Infections	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	18	Scott	201.40	144.30	57.10	↑Bad ↓Good	458.00	Penobscot, ME	281.00
Number of newly diagnosed chlamydia cases per 100,000 population	Consider ways to educate 3 out of every 10 persons self-reporting to be involved in any sexual contact to commit to using safe sex practices to prevent the infection of Chlamydia.							Marion, WV	296.40
Source	National Center for HIV/AIDS, Viral Hepatitis, STD, & TB Prevention			Year(s)	2012		Genesee, NY	293.40	
Teen Births	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	5	Williamson	33.13	11.62	21.51	↑Bad ↓Good	31.00	Penobscot, ME	20.72
Teen birth rate per 1,000 female population, ages 15-19	For every 100 teenage females (ages 15 to 19 years) in the county, consider ways to prevent 65 teen(s) from becoming pregnant.							Marion, WV	37.83
Source	National Center for Health Statistics - Natality files			Year(s)	2006-2012		Genesee, NY	22.81	

Clinical Care

Uninsured	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	41	Blount	16.52%	14.64%	1.88%	↑Bad ↓Good	18.00%	Penobscot, ME	12.60%
Percentage of population under age 65 without health insurance	Get 12 out of every 100 currently uninsured adults ages 18-64 to obtain health insurance.							Marion, WV	17.24%
Source	Small Area Health Insurance Estimates			Year(s)	2012		Genesee, NY	11.09%	
Primary Care Physicians	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	1	Washington	596:1	596:1	0	↑Bad ↓Good	1,355.00	Penobscot, ME	849:1
Ratio of population to primary care physicians	No action required.							Marion, WV	1453:1
Source	Area Health Resource File/American Medical Association			Year(s)	2012		Genesee, NY	2999:1	
Dentists	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	14	Maury	1846:1	1675:1	171	↑Bad ↓Good	1,663.00	Penobscot, ME	1407:1
Ratio of population to dentists	To reach a population-to-provider ratio at or exceeding that of the 10th ranking county, 7 dental care providers would need to be recruited to the county. More importantly, if the county's value is greater than 5,000, this county would be considered a Health Professional Shortage Area.							Marion, WV	1961:1
Source	Area Health Resource File/American Medical Association			Year(s)	2013		Genesee, NY	2831:1	

Health Factors	Clinical Care	Mental Health Providers		Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Ratio of population to mental health providers		2	Knox	345:1	313:1	32	↑Bad ↓Good	753	Penobscot, ME	228:1
		To reach a population-to-provider ratio at or exceeding that of the 10th ranking county, 38 mental health providers would need to be recruited to the county. More importantly, if the county's value is greater than 30,000, this county would be considered a Health Professional Shortage Area.									Marion, WV	1236:1
		Source			CMS, National Provider Identification file			Year(s)		2014	Genesee, NY	803:1
		Preventable Hospital Stays		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
Number of hospital stays for ambulatory-care sensitive conditions per 1,000 Medicare enrollees		41	Marshall	82.13	58.47	23.66	↑Bad ↓Good	65.00	Penobscot, ME	76.30		
		For every 100 Medicare enrollees, prevent 1 Medicare enrollees from being hospitalized for ambulatory-care sensitive conditions.									Marion, WV	72.25
		Source			Dartmouth Atlas of Health Care			Year(s)		2012	Genesee, NY	70.70
		Diabetic Monitoring		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
Percentage of diabetic Medicare enrollees ages 65-75 that receive HbA1c monitoring		11	Crockett	88.73%	88.92%	0.19%	↑Good ↓Bad	84.00%	Penobscot, ME	88.61%		
		For every 100 diabetic Medicare enrollees, get 1 additional Medicare enrollees to receive HbA1c screening.									Marion, WV	82.04%
		Source			Dartmouth Atlas of Health Care			Year(s)		2012	Genesee, NY	85.16%
		Mammography Screening		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
Percentage of female Medicare enrollees ages 67-69 that receive mammography screening		23	Knox	63.58%	65.71%	2.13%	↑Good ↓Bad	63.00%	Penobscot, ME	69.98%		
		For every 100 female Medicare enrollees, get 3 additional Medicare enrollees to receive their mammography screening.									Marion, WV	56.32%
		Source			Dartmouth Atlas of Health Care			Year(s)		2012	Genesee, NY	58.88%
		High School Graduation		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
Percentage of ninth-grade cohort that graduates in four years		24	Carroll	93.17%	95.32%	2.15%	↑Good ↓Bad	80.00%	Penobscot, ME	84.32%		
		For every 100 ninth graders, assist 3 additional ninth graders to graduate within four years.									Marion, WV	84.00%
		Source			data.gov, supplemented w/ National Center for Education Statistics			Year(s)		2011-2012	Genesee, NY	83.56%
		Some College		Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
Percentage of adults ages 25-44 years with some post-secondary education		6	Rutherford	65.96%	66.59%	0.63%	↑Good ↓Bad	63.00%	Penobscot, ME	64.22%		
		For every 100 adults between 25-44 years of age, assist 64 additional adults to complete some coursework at the collegiate level.									Marion, WV	57.18%
		Source			American Community Survey			Year(s)		2009-2013	Genesee, NY	63.88%
		Unemployment		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
Percentage of population ages 16 and older unemployed but seeking work		14	Blount	7.26%	6.89%	0.37%	↑Bad ↓Good	8.10%	Penobscot, ME	7.02%		
		For every 100 persons ages 16 years and older, help 1 persons successfully find employment.									Marion, WV	5.64%
		Source			Bureau of Labor Statistics			Year(s)		2013	Genesee, NY	6.71%
		Children in Poverty		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
Percentage of children under age 18 in poverty		16	Montgomery	23.50%	21.40%	2.10%	↑Bad ↓Good	23.00%	Penobscot, ME	19.30%		
		For every 100 children (under 18 years) in poverty, help 9 children to find assistance to get out of poverty.									Marion, WV	23.20%
		Source			Small Area Income and Poverty Estimates			Year(s)		2013	Genesee, NY	19.30%
		Income Inequality		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
Ratio of household income at the 80th percentile to income at the 20th percentile		85	Williamson	5.11	4.11	1.00	↑Bad ↓Good	NA	Penobscot, ME	4.49		
		To reach a household income ratio at or below that of the 10th ranking county reduce the gap between the 80th percentile and 20th percentile by 2 household(s).									Marion, WV	4.83
		Source			American Community Survey			Year(s)		2009-2013	Genesee, NY	4.03

Health Factors

Clinical Care

Social & Economic Factors

Health Factors

Social & Economic Factors

Children in Single-Parent Households	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	46	Cheatham	31.17%	25.43%	5.74%	↑Bad ↓Good	21.00%	Penobscot, ME	29.67%
Percentage of children that live in a household headed by single parent	For every 100 single parent households in the county, investigate ways to encourage 19 households to be a multi-parent household.							Marion, WV	35.53%
Source	American Community Survey		Year(s)		2009-2013		Genesee, NY	28.68%	
Social Associations	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
23	Henry	13.91	16.70	2.79	↑Good ↓Bad	33.00%	Penobscot, ME	10.86	
Number of membership associations per 10,000 population	For every 100 people in the county, increase the number of membership associations by 1.							Marion, WV	18.00
Source	County Business Patterns		Year(s)		2012		Genesee, NY	13.17	
Violent Crime	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
63	Carter	414.82	206.33	208.49	↑Bad ↓Good	387.00	Penobscot, ME	79.05	
Number of reported violent crime offenses per 100,000 population	For every 100 persons in the county, prevent 51 people from committing a violent crime.							Marion, WV	223.77
Source	Uniform Crime Reporting - FBI		Year(s)		2010-2012		Genesee, NY	172.07	
Injury Deaths	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
12	Fayette	70.50	68.81	1.69	↑Bad ↓Good	59.00	Penobscot, ME	59.07	
Number of deaths due to injury per 100,000 population	For every 1,000 population consider ways to prevent 24 deaths as a result of intentional and unintentional injury.							Marion, WV	74.76
Source	CDC WONDER mortality data		Year(s)		2008-2012		Genesee, NY	55.36	
Air Pollution - Particulate Matter	Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
6	Sullivan	13.07	13.04	0.03	↑Bad ↓Good	11.10	Penobscot, ME	10.15	
Average daily density of fine particulate matter in micrograms per cubic meter (PM2.5)	Reduce the average daily measure of fine particulate matter by 0.03 micrograms per cubic meter (PM2.5).							Marion, WV	13.55
Source	CDC WONDER Environmental data		Year(s)		2011		Genesee, NY	12.67	

Physical Environment

Drinking Water Violations	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
1	Anderson	0.00%	0.00%	0.00%	↑Bad ↓Good	8.00%	Penobscot, ME	3.85%	
Percentage of population potentially exposed to water exceeding a violation limit during the past year	No Action Required							Marion, WV	2.42%
Source	Safe Drinking Water Information System		Year(s)		FY2013-14		Genesee, NY	0.00%	
Severe Housing Problems	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
77	Lewis	15.35%	10.96%	4.39%	↑Bad ↓Good	19.00%	Penobscot, ME	15.72%	
Percentage of households with at least 1 of 4 housing problems: overcrowding, high housing costs, or lack of kitchen or plumbing facilities	For every 100 persons in the county experiencing housing problems, help 29 person(s) to find housing assistance.							Marion, WV	11.03%
Source	Comprehensive Housing Affordability Strategy (CHAS) data		Year(s)		2007-2011		Genesee, NY	13.33%	
Driving Alone to Work	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
78	Davidson	86.69%	80.03%	6.66%	↑Bad ↓Good	76.00%	Penobscot, ME	80.74%	
Percentage of the workforce that drives alone to work	For every 100 persons that currently drive alone to work, convince 8 to carpool or take mass-transportation.							Marion, WV	83.61%
Source	American Community Survey		Year(s)		2009-2013		Genesee, NY	83.77%	
Long Commute - Driving Alone	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
5	Madison	21.70%	15.80%	5.90%	↑Bad ↓Good	34.00%	Penobscot, ME	24.60%	
Among workers who commute in their car alone, the percentage that commute more than 30 minutes	For every 100 persons that currently drive more than 30 minutes alone to work, convince 28 to carpool or take mass-transportation.							Marion, WV	34.90%
Source	American Community Survey		Year(s)		2009-2013		Genesee, NY	31.10%	